

DMPB[1サイクル目]		1コース=42日																				
抗がん剤名	用量	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ダラツムマブ	1800mg/body	●							●							●						
メルファラン	9mg/m ²	●	●	●	●																	
ボルテゾミブ	1.3mg/m ²	●			●				●			●										
プレドニゾロン	60mg/m ²		●	●	●																	
デキサメタゾン	20mg/body	●							●							●						
抗がん剤名	用量	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
ダラツムマブ	1800mg/body	●							●							●						
メルファラン	9mg/m ²																					
ボルテゾミブ	1.3mg/m ²	●			●				●			●										
プレドニゾロン	60mg/m ²																					
デキサメタゾン	20mg/body	●							●							●						
DMPB[2-9サイクル目]		1コース=42日																				
抗がん剤名	用量	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ダラツムマブ	1800mg/body	●																				
メルファラン	9mg/m ²	●	●	●	●																	
ボルテゾミブ	1.3mg/m ²	●							●													
プレドニゾロン	60mg/m ²		●	●	●																	
デキサメタゾン	20mg/body	●																				
抗がん剤名	用量	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
ダラツムマブ	1800mg/body	●																				
メルファラン	9mg/m ²																					
ボルテゾミブ	1.3mg/m ²	●							●													
プレドニゾロン	60mg/m ²																					
デキサメタゾン	20mg/body	●																				
DMPB[10サイクル目以降]		1コース=28日																				
抗がん剤名	用量	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17-26		27	28	
ダラツムマブ	1800mg/body	●																				
デキサメタゾン	20mg/body	●																				

DKd[1-2サイクル目]		1コース=28日																	
抗がん剤名	用量	1	2	3-7			8	9	10-14		15	16	17-21		22	23	24-27		28
ダラツムマブ	1800mg/body	●					●				●				●				
カルフィルゾミブ	56mg/m ² ※	●	●				●	●			●	●							
デキサメタゾン	40mg/body	●					●				●				●				
DKd[3-6サイクル目]		1コース=28日																	
抗がん剤名	用量	1	2	3-7			8	9	10-14		15	16	17-21		22	23	24-27		28
ダラツムマブ	1800mg/body	●									●								
カルフィルゾミブ	56mg/m ²	●	●				●	●			●	●							
デキサメタゾン	40mg/body	●					●				●				●				
DKd[7サイクル目以降]		1コース=28日																	
抗がん剤名	用量	1	2	3-7			8	9	10-14		15	16	17-21		22	23	24-27		28

ダラツムマブ	1800mg/body	●													
カルフィルゾミブ	56mg/m ²	●	●		●	●		●	●						
デキサメタゾン	40mg/body	●			●			●				●			

※ 1サイクル目 day1・2は20mg/m²

DPd[1-2サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
ダラツムマブ	1800mg/body	●			●			●			●				
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body	●			●			●			●				
DPd[3-6サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
ダラツムマブ	1800mg/body	●						●							
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body	●			●			●			●				
DPd[7サイクル目以降]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
ダラツムマブ	1800mg/body	●													
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body	●			●			●			●				

ELd[1-2サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
エロツズマブ	10mg/kg	●			●			●			●				
レナリドミド	25mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body	●			●			●			●				
ELd[3サイクル目以降]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
エロツズマブ	10mg/kg	●						●							
レナリドミド	25mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body	●			●			●			●				

EPd[1-2サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
エロツズマブ	10mg/kg	●			●			●			●				
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body※	●			●			●			●				
EPd[3サイクル目以降]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
エロツズマブ	20mg/kg	●													
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body※	●			●			●			●				

※ 75歳を超える場合は20mg/body

ラニムスチン	50mg/m ²	●																	
--------	---------------------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

少量CP+MCNU		1コース=14日													
抗がん剤名	用量	1	2	3	4	5	6	7	8	9	10	11	12	13	14
ラニムスチン	40mg/m ²	●													
シクロホスファミド	80mg/m ²	●	●	●	●										
プレドニゾン	50mg/m ²	●	●	●	●										

少量CP		1コース=14日													
抗がん剤名	用量	1	2	3	4	5	6	7	8	9	10	11	12	13	14
シクロホスファミド	80mg/m ²	●	●	●	●										
プレドニゾン	50mg/m ²	●	●	●	●										

IsaPd[1サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
イサツキシマブ	10mg/kg	●			●			●			●				
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body※	●			●			●			●				

IsaPd[2サイクル目以降]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
イサツキシマブ	10mg/kg	●						●							
ポマリドミド	4mg/body	●	●	●	●	●	●	●	●	●					
デキサメタゾン	40mg/body※	●			●			●			●				

※ 75歳を超える場合は20mg/body

IsaKd[1サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
イサツキシマブ	10mg/kg	●			●			●			●				
カルフィルゾミブ	56mg/m ² ※	●	●		●	●		●	●						
デキサメタゾン	40mg/body※	●			●			●			●				

IsaKd[2サイクル目以降]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
イサツキシマブ	10mg/kg	●						●							
カルフィルゾミブ	56mg/m ²	●	●		●	●		●	●						
デキサメタゾン	40mg/body※	●			●			●			●				

※ 1サイクル目 day1・2は20mg/m²

※ 75歳を超える場合は20mg/body

Isa+d[1サイクル目]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
イサツキシマブ	20mg/kg	●			●			●			●				
デキサメタゾン	40mg/body※	●			●			●			●				

Isa+d[2サイクル目以降]		1コース=28日													
抗がん剤名	用量	1	2	3-7	8	9	10-14	15	16	17-21	22	23	24-27	28	
イサツキシマブ	20mg/kg	●			●			●			●				
デキサメタゾン	40mg/body※	●			●			●			●				

